

**Wilcox/Lorraine Refinery**

Refinery Rd

Bristow, OK 74010

Inquiry Number: 3313889.1

May 01, 2012

## Certified Sanborn® Map Report



440 Wheelers Farms Road  
Milford, CT 06461  
800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

**18 001**

## Certified Sanborn® Map Report

5/01/12

**Site Name:**

Wilcox/Lorraine Refinery  
Refinery Rd  
Bristow, OK 74010

**Client Name:**

Dynamac Corporation  
1202 Executive Drive West  
Richardson, TX 75081



Environmental Data Resources Inc

EDR Inquiry # 3313889.1

Contact: Kris Lloyd

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Dynamac Corporation were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

### Certified Sanborn Results:

**Site Name:** Wilcox/Lorraine Refinery  
**Address:** Refinery Rd  
**City, State, Zip:** Bristow, OK 74010  
**Cross Street:**  
**P.O. #** NA  
**Project:** S109-20F  
**Certification #** 398F-439D-A25F



Sanborn® Library search results  
Certification # 398F-439D-A25F

**Maps Provided:**

1961  
1923  
1920  
1915

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☒ Library of Congress
- ☒ University Publications of America
- ☒ EDR Private Collection

*The Sanborn Library LLC Since 1866™*

**Limited Permission To Make Copies**

Dynamac Corporation (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

**Disclaimer - Copyright and Trademark notice**


This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

18 002

# 1961 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 398F-439D-A25F

Site Name: Wilcox/Lorraine Refinery  
Address: Refinery Rd  
City, ST, ZIP: Bristow OK 74010  
Client: Dynamac Corporation  
EDR Inquiry: 3313889.1  
Order Date: 5/1/2012 4:35:02 PM  
Certification #: 398F-439D-A25  
Copyright: 1961



18 003

# 1923 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authorized by visiting [www.edr.com/sanborn](http://www.edr.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

398F-439D-A25F

Certification #


Scale 100 Ft. to One Inch.

Site Name: Wilcox/Lorraine Refinery  
Address: Refinery Rd.  
City, ST, ZIP: Bristow OK 74010  
Client: Dynamac Corporation  
EDR Inquiry: 3313889.1  
Order Date: 5/1/2012 4:35:02 PM  
Certification #: 398F-439D-A25F  
Copyright: 1923



18 004

# 1920 Certified Sanborn Map




**WATER FACILITIES.**  
 Gravity supply and direct pressure system of water works. Supply from 8 trap wells. One 8' well to deep. One 6' well to 10' deep. One 4' well to 12' deep. One 3' well to 14' deep. One 2' well to 16' deep. One 1' well to 18' deep. One 1/2' well to 20' deep. One 1/4' well to 22' deep. One 1/8' well to 24' deep. One 1/16' well to 26' deep. One 1/32' well to 28' deep. One 1/64' well to 30' deep. One 1/128' well to 32' deep. One 1/256' well to 34' deep. One 1/512' well to 36' deep. One 1/1024' well to 38' deep. One 1/2048' well to 40' deep. One 1/4096' well to 42' deep. One 1/8192' well to 44' deep. One 1/16384' well to 46' deep. One 1/32768' well to 48' deep. One 1/65536' well to 50' deep. One 1/131072' well to 52' deep. One 1/262144' well to 54' deep. One 1/524288' well to 56' deep. One 1/1048576' well to 58' deep. One 1/2097152' well to 60' deep. One 1/4194304' well to 62' deep. One 1/8388608' well to 64' deep. One 1/16777216' well to 66' deep. One 1/33554432' well to 68' deep. One 1/67108864' well to 70' deep. One 1/134217728' well to 72' deep. One 1/268435456' well to 74' deep. One 1/536870912' well to 76' deep. One 1/1073741824' well to 78' deep. One 1/2147483648' well to 80' deep. One 1/4294967296' well to 82' deep. One 1/8589934592' well to 84' deep. One 1/17179869184' well to 86' deep. One 1/34359738368' well to 88' deep. One 1/68719476736' well to 90' deep. One 1/137438953472' well to 92' deep. One 1/274877906944' well to 94' deep. One 1/549755813888' well to 96' deep. One 1/1099511627776' well to 98' deep. One 1/2199023255552' well to 100' deep. One 1/4398046511104' well to 102' deep. One 1/8796093022208' well to 104' deep. One 1/17592186044416' well to 106' deep. One 1/35184372088832' well to 108' deep. One 1/70368744177664' well to 110' deep. One 1/140737488355328' well to 112' deep. One 1/281474976710656' well to 114' deep. One 1/562949953421312' well to 116' deep. One 1/1125899906842624' well to 118' deep. One 1/2251799813685248' well to 120' deep. One 1/4503599627370496' well to 122' deep. One 1/9007199254740992' well to 124' deep. One 1/18014398509481984' well to 126' deep. One 1/36028797018963968' well to 128' deep. One 1/72057594037927936' well to 130' deep. One 1/144115188075855872' well to 132' deep. One 1/288230376151711744' well to 134' deep. One 1/576460752303423488' well to 136' deep. One 1/1152921504606846976' well to 138' deep. One 1/2305843009213693952' well to 140' deep. One 1/4611686018427387904' well to 142' deep. One 1/9223372036854775808' well to 144' deep. One 1/18446744073709551616' well to 146' deep. One 1/36893488147419103232' well to 148' deep. One 1/73786976294838206464' well to 150' deep. One 1/147573952589676412928' well to 152' deep. One 1/295147905179352825856' well to 154' deep. One 1/590295810358705651712' well to 156' deep. One 1/1180591620717411303424' well to 158' deep. One 1/2361183241434822606848' well to 160' deep. One 1/4722366482869645213696' well to 162' deep. One 1/9444732965739290427392' well to 164' deep. One 1/18889465931478580854784' well to 166' deep. One 1/37778931862957161709568' well to 168' deep. One 1/75557863725914323419136' well to 170' deep. One 1/151115727451828646838272' well to 172' deep. One 1/302231454903657293676544' well to 174' deep. One 1/604462909807314587353088' well to 176' deep. One 1/1208925819614629174706176' well to 178' deep. One 1/2417851639229258349412352' well to 180' deep. One 1/4835703278458516698824704' well to 182' deep. One 1/9671406556917033397649408' well to 184' deep. One 1/19342813113834066795298816' well to 186' deep. One 1/38685626227668133590597632' well to 188' deep. One 1/77371252455336267181195264' well to 190' deep. One 1/154742504910672534362390528' well to 192' deep. One 1/309485009821345068724781056' well to 194' deep. One 1/618970019642690137449562112' well to 196' deep. One 1/1237940039285380274899124224' well to 198' deep. One 1/2475880078570760549798248448' well to 200' deep. One 1/4951760157141521099596496896' well to 202' deep. One 1/9903520314283042199192993792' well to 204' deep. One 1/19807040628566084398385987584' well to 206' deep. One 1/39614081257132168796771975168' well to 208' deep. One 1/79228162514264337593543950336' well to 210' deep. One 1/158456325028528675187087900672' well to 212' deep. One 1/316912650057057350374175801344' well to 214' deep. One 1/633825300114114700748351602688' well to 216' deep. One 1/1267650600228229401496703205376' well to 218' deep. One 1/2535301200456458802993406410752' well to 220' deep. One 1/5070602400912917605986812821504' well to 222' deep. One 1/10141204801825835211973625643008' well to 224' deep. One 1/20282409603651670423947251286016' well to 226' deep. One 1/40564819207303340847894502572032' well to 228' deep. One 1/81129638414606681695789005144064' well to 230' deep. One 1/162259276829213363391578010288128' well to 232' deep. One 1/324518553658426726783156020576256' well to 234' deep. One 1/649037107316853453566312041152512' well to 236' deep. One 1/1298074214633706907132624082305024' well to 238' deep. One 1/2596148429267413814265248164610048' well to 240' deep. One 1/5192296858534827628530496329220096' well to 242' deep. One 1/10384593717069655257060992658440192' well to 244' deep. One 1/20769187434139310514121985316880384' well to 246' deep. One 1/41538374868278621028243970633760768' well to 248' deep. One 1/83076749736557242056487941267521536' well to 250' deep. One 1/166153499473114484112975882535043072' well to 252' deep. One 1/332306998946228968225951765070086144' well to 254' deep. One 1/664613997892457936451903530140172288' well to 256' deep. One 1/1329227995784915872903807060280344576' well to 258' deep. One 1/2658455991569831745807614120560689152' well to 260' deep. One 1/5316911983139663491615228241121378304' well to 262' deep. One 1/10633823966279326983230456482242756608' well to 264' deep. One 1/21267647932558653966460912964485513216' well to 266' deep. One 1/42535295865117307932921825928971026432' well to 268' deep. One 1/85070591730234615865843651857942052864' well to 270' deep. One 1/170141183460469231731687303715884105728' well to 272' deep. One 1/340282366920938463463374607431768211456' well to 274' deep. One 1/680564733841876926926749214863536422912' well to 276' deep. One 1/1361129467683753853853498429727072845824' well to 278' deep. One 1/272225893536750770770699685945414569152' well to 280' deep. One 1/544451787073501541541399371890829138304' well to 282' deep. One 1/1088903574147003083082798743781658276608' well to 284' deep. One 1/2177807148294006166165597487563316553216' well to 286' deep. One 1/4355614296588012332331194975126633106432' well to 288' deep. One 1/8711228593176024664662389950253266212864' well to 290' deep. One 1/17422457186352049329324779900506524512' well to 292' deep. One 1/34844914372704098658649559801013049024' well to 294' deep. One 1/69689828745408197317299119602026098048' well to 296' deep. One 1/139379657490816394634598239204052196096' well to 298' deep. One 1/278759314981632789269196478408104392192' well to 300' deep. One 1/557518629963265578538392956816208784384' well to 302' deep. One 1/1115037259926531157076785913632417568768' well to 304' deep. One 1/2230074519853062314153571827264835137536' well to 306' deep. One 1/446014903970612462830714365452967027008' well to 308' deep. One 1/892029807941224925661428730905934054016' well to 310' deep. One 1/1784059615882449851322857461811868108032' well to 312' deep. One 1/3568119231764899702645714923623736166064' well to 314' deep. One 1/7136238463529799405291429847247472332128' well to 316' deep. One 1/14272476927059598810582859694494944664256' well to 318' deep. One 1/28544953854119197621165719388989889328512' well to 320' deep. One 1/57089907708238395242331438777979778657024' well to 322' deep. One 1/114179815416476790484662877555959557314048' well to 324' deep. One 1/228359630832953580969325755111919114628096' well to 326' deep. One 1/456719261665907161938651510223838229256192' well to 328' deep. One 1/913438523331814323877303020447676458512384' well to 330' deep. One 1/182687704666362864775460604089535291702768' well to 332' deep. One 1/365375409332725729550921208179070583405536' well to 334' deep. One 1/730750818665451459101842416358141166811072' well to 336' deep. One 1/1461501637330902918203684832716282333622144' well to 338' deep. One 1/2923003274661805836407369665432564667244288' well to 340' deep. One 1/5846006549323611672814739330865129334488576' well to 342' deep. One 1/11692013098647223345629478661730258668977152' well to 344' deep. One 1/2338402619729444669125895732346051733795424' well to 346' deep. One 1/4676805239458889338251791464692103467590848' well to 348' deep. One 1/9353610478917778676503582929384206935181696' well to 350' deep. One 1/18707220957835557353007165858768413870363392' well to 352' deep. One 1/37414441915671114706014331717536827740726784' well to 354' deep. One 1/74828883831342229412028663435073655481453568' well to 356' deep. One 1/149657767662684458824057326870147310962907136' well to 358' deep. One 1/299315535325368917648114653740294621925812272' well to 360' deep. One 1/59863107065073783529622930748058924385162544' well to 362' deep. One 1/119726214130147567059245861496117848770325088' well to 364' deep. One 1/239452428260295134118491722992235697540650176' well to 366' deep. One 1/47890485652059026823698344598447139508130032' well to 368' deep. One 1/95780971304118053647396689196894279016260064' well to 370' deep. One 1/191561942608236107294793373937788558032520128' well to 372' deep. One 1/383123885216472214589586747875577116065040256' well to 374' deep. One 1/766247770432944429179173495751154232130080512' well to 376' deep. One 1/1532495540865888858358346991502308464260161024' well to 378' deep. One 1/3064991081731777716716693983004616928520322048' well to 380' deep. One 1/6129982163463555433433387966009233857040644096' well to 382' deep. One 1/12259964326927110866866775932018467714081288192' well to 384' deep. One 1/2451992865385422173373355186403693542816257384' well to 386' deep. One 1/4903985730770844346746710372807387085632514768' well to 388' deep. One 1/9807971461541688693493420745614774171265029536' well to 390' deep. One 1/19615942922883377386986841491229548342530059072' well to 392' deep. One 1/39231885845766754773973682982459096685060118144' well to 394' deep. One 1/78463771691533509547947365964918193370120236288' well to 396' deep. One 1/156927543383067019095894731929836386740240472576' well to 398' deep. One 1/313855086766134038191789463859672773480480945152' well to 400' deep. One 1/627710173532268076383578927719345546960960890304' well to 402' deep. One 1/1255420347064536152767157855438691093921921780608' well to 404' deep. One 1/2510840694129072305534315710877382187843843561216' well to 406' deep. One 1/5021681388258144611068631421754764375687687122432' well to 408' deep. One 1/10043362776516289222137262843509528751375374244864' well to 410' deep. One 1/20086725553032578444274525687019057502750748489728' well to 412' deep. One 1/40173451106065156888549051374038115005501496979552' well to 414' deep. One 1/80346902212130313777098102748076230011002993959104' well to 416' deep. One 1/160693804424260627554196205496152460022005987918208' well to 418' deep. One 1/321387608848521255108392410992304920044011975836416' well to 420' deep. One 1/642775217697042510216784821984609840088023951672832' well to 422' deep. One 1/1285550435394085020433569643969219680176047903345664' well to 424' deep. One 1/2571100870788170040867139287938439360352095806691328' well to 426' deep. One 1/5142201741576340081734278575876878720704191613382656' well to 428' deep. One 1/10284403483152680163468557151753757441408383226765312' well to 430' deep. One 1/20568806966305360326937114303507514882816766453530624' well to 432' deep. One 1/41137613932610720653874228607015029765633532907061248' well to 434' deep. One 1/82275227865221441307748457214030059531267065814122496' well to 436' deep. One 1/16455045573044288261549691442806011906253413162824576' well to 438' deep. One 1/32910091146088576523099382885612023812506826325649152' well to 440' deep. One 1/65820182292177153046198765771224047625013652651298304' well to 442' deep. One 1/131640364584354306092397531542448095250027305302596608' well to 444' deep. One 1/263280729168708612184795063084896190500054610605193216' well to 446' deep. One 1/526561458337417224369590126169792381000109221210386432' well to 448' deep. One 1/1053122916674834448739180252339584762000218442420768' well to 450' deep. One 1/2106245833349668897478360504679169524000436884841536' well to 452' deep. One 1/4212491666699337794956721009358339048000873769683072' well to 454' deep. One 1/8424983333398675589913442018716678096001747539366144' well to 456' deep. One 1/16849966666797351179826884037433356192003495078732288' well to 458' deep. One 1/33699933333594702359653768074866712384006990157464576' well to 460' deep. One 1/67399866667189404719307536149733424768013980314929152' well to 462' deep. One 1/134799733334378809396151072299468495360027960629858304' well to 464' deep. One 1/269599466668757618792302144598936990720055921259716608' well to 466' deep. One 1/539198933337515237584604289197873981440111842519433216' well to 468' deep. One 1/1078397866675230475169208578395747962880223685038866432' well to 470' deep. One 1/2156795733350460950338417156791495925760447370077732864' well to 472' deep. One 1/4313591466700921900676834313582991851520894740155465728' well to 474' deep. One 1/8627182933401843801353668627165983703041789480310931456' well to 476' deep. One 1/17254365866803687602707337254331967406083578960621862912' well to 478' deep. One 1/34508731733607375205414674508663934812167157921243725824' well to 480' deep. One 1/69017463467214750410829349017327869624334315842487451648' well to 482' deep. One 1/138034926934429500821658698034655739248668631684974903296' well to 484' deep. One 1/276069853868859001643317396069311478497337263699549806592' well to 486' deep. One 1/552139707737718003286634792138622956994674527399099613184' well to 488' deep. One 1/1104279415475436006573269584277245913989349054798199226368' well to 490' deep. One 1/2208558830950872013146539168554491827978698109596398452736' well to 492' deep. One 1/4417117661901744026293078337108983655957396219192796905472' well to 494' deep. One 1/8834235323803488052586156674217967311914792438385593810944' well to 496' deep. One 1/17668470647606976105172313348435934623829584876771187621888' well to 498' deep. One 1/35336941295213952210344626696871849247659169753542375243776' well to 500' deep. One 1/70673882590427904420689253393743698495318339507084750487552' well to 502' deep. One 1/141347765180855808841378506787487396990636679014169500975104' well to 504' deep. One 1/282695530361711617682757013574974793981273358028339001950208' well to 506' deep. One 1/565391060723423235365514027149949587962546716056678003900416' well to 508' deep. One 1/1130782121446846470731028054299999175925093432113356007800832' well to 510' deep. One 1/2261564242893692941462056108599998351850186864226712015601664' well to 512' deep. One 1/4523128485787385882924112217199996703700373728453424031203328' well to 514' deep. One 1/9046256971574771765848224434399993407400747456906848062406656' well to 516' deep. One 1/18092513943149543531696448868799868014801494913813696124813312' well to 518' deep. One 1/36185027886299087063392897737599736029602989827627392249626624' well to 520' deep. One 1/72370055772598174126785795475199472059205979655254784499253248' well to 522' deep. One 1/1447401115451963482535715909503989441184

## 1915 Certified Sanborn Map



located 1 Mile N. of P.O.  
NO EXPOSURE ANY MORE.




Located 2 Mile N. of P.O.  
NO EXPOSURE ANY JUNE.




Scale of Feet.



**FIRE DEPT:**  
 Volunteer Co. of 12 Men. 2 Hose Carts. 2300 P. L.R. most  
 in good condition.  
 Fire alarm: members of Fire Dept called by telephone.  
 Sander level. Streets not paved. Public lights: electric.

[illegible]

NOTE.—Roose feathers given are arbitrary.



Certification #

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



18 006